



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2504SMIL0371.2309
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29323

CQ Hemp - Watermelon Lemonade 2oz (10mg THC)

BioTrack Lot ID:
BioTrack Sample ID: 25.061
Confident ID: 2504SMIL0371.2309
Sample Type: Beverage

Sample Collected: 04/04/2025
Sample Received: 04/04/2025
Report Published: 04/08/2025



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Pass	Residual Solvents Pass	0.0161% Total THC
Pesticides Pass	Mycotoxins Pass	Heavy Metals Pass	0.00023% Total CBD
Foreign Matter Pass	Moisture Analysis Not Tested	Water Activity Not Tested	0.0171% Total Cannabinoids
	Terpenes Not Tested		NT Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2504SMIL0371.2309
BioTrack Lot ID:



CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29323

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 04/08/2025
Sample Analysis Date: 04/08/2025
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	4.97e-05	9.94e-05	< LOQ	< LOQ	< LOQ	< LOQ
CBCA	4.97e-05	9.94e-05	ND	ND	ND	ND
CBDV	4.97e-05	9.94e-05	ND	ND	ND	ND
CBDVA	4.97e-05	9.94e-05	ND	ND	ND	ND
CBD	4.97e-05	9.94e-05	0.00023	0.0023	0.138	0.138
CBDA	4.97e-05	9.94e-05	ND	ND	ND	ND
CBG	4.97e-05	9.94e-05	0.000662	0.00662	0.397	0.397
CBGA	4.97e-05	9.94e-05	ND	ND	ND	ND
CBN	4.97e-05	9.94e-05	0.000121	0.00121	0.0723	0.0723
Δ 8-THC	4.97e-05	9.94e-05	ND	ND	ND	ND
Δ 8-THCV	4.97e-05	9.94e-05	NT	NT	NT	NT
Δ 9-THC	4.97e-05	9.94e-05	0.0161	0.161	9.68	9.68
Δ 9-THCV	4.97e-05	9.94e-05	< LOQ	< LOQ	< LOQ	< LOQ
THCVA	4.97e-05	9.94e-05	ND	ND	ND	ND
THCA	4.97e-05	9.94e-05	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.0161	0.161	9.68	9.68
Total CBD	0.000230	0.00230	0.138	0.138
Total Cannabinoids	0.0171	0.171	10.3	10.3

Total THC = $\text{THCa} \times 0.877 + \Delta 9\text{-THC}$
Total CBD = $\text{CBDa} \times 0.877 + \text{CBD}$
Total Cannabinoids = Sum of all analytes

Serving Weight: 60g;

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2504SMIL0371.2309
BioTrack Lot ID:



CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29323

Pesticides

Pass

Sample Analysis

Sample Prep Date: 04/07/2025
Sample Analysis Date: 04/08/2025
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.55	9.10	ND	10	Flonicamid	11.4	22.8	ND	30
Aldicarb	9.10	18.2	ND	20	Imidacloprid	9.10	18.2	ND	20
Bifenthrin	9.10	18.2	ND	50	Kresoxim Methyl	4.55	9.10	ND	10
Carbaryl	9.10	18.2	ND	20	Metaxyl	9.10	18.2	ND	20
Carbofuran	9.10	18.2	ND	100	Oxamyl	22.8	45.5	ND	50
Chlorantraniliprole	9.10	18.2	ND	20	Phosmet	9.10	18.2	ND	40
Chlorpyrifos	4.55	9.10	ND	10	Pyridaben	4.55	9.10	ND	10
Clofentezine	4.55	9.10	ND	10	Spiromesifen	4.55	9.10	ND	10
Diazinon	9.10	18.2	ND	50	Spirotetramat	4.55	9.10	ND	10
Ethrophos	9.10	18.2	ND	20	Tebuconazole	18.2	36.4	ND	50
Etofenprox	4.55	9.10	ND	10	Thiamethoxam	9.10	18.2	ND	20
Etoxazole	4.55	9.10	ND	10	Trifloxystrobin	4.55	9.10	ND	10
Fenpyroximate	4.55	9.10	ND	15					

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 04/07/2025
Sample Analysis Date: 04/08/2025
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.01	18.2	ND	20
Aflatoxin B2	6.01	18.2	ND	20
Aflatoxin G1	6.01	18.2	ND	20
Aflatoxin G2	6.01	18.2	ND	20
Ochratoxin A	6.01	18.2	ND	20

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2504SMIL0371.2309
BioTrack Lot ID:



CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29323

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 04/05/2025
Sample Analysis Date: 04/07/2025
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	1.54	77.1	ND	500
Mercury	1.54	7.71	ND	3000
Lead	1.54	77.1	< LOQ	1000
Chromium	1.54	77.1	ND	2000
Arsenic	1.54	77.1	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 04/04/2025
Sample Analysis Date: 04/06/2025
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2504SMIL0371.2309
BioTrack Lot ID:



CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29323

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 04/07/2025
Sample Analysis Date: 04/08/2025
Analyzed By: GCMS
SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	7.46	14.9	ND	5000
Butane	7.46	14.9	ND	5000
Ethanol	7.46	14.9	875	5000
Ethyl Acetate	7.46	14.9	ND	5000
Ethyl Ether	7.46	14.9	ND	5000
Ethylene Oxide	1.24	2.49	ND	50
Heptane	7.46	14.9	ND	5000
Hexane	7.46	14.9	ND	290
Isopropyl Alcohol	7.46	14.9	1490	5000
Methanol	7.46	14.9	ND	3000
Methylene Chloride	7.46	14.9	ND	600
Pentane	7.46	14.9	ND	5000
Petroleum Ether	7.46	14.9	ND	400
Propane	7.46	14.9	ND	5000
Trichloroethylene	7.46	14.9	ND	80
Toluene	7.46	14.9	ND	5000
Xylenes	14.9	29.9	ND	2170

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2504SMIL0371.2309
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29323

Foreign Matter

Pass 0.0%

Sample Analysis

Sample Prep Date: 04/07/2025
Sample Analysis Date: 04/07/2025
Analyzed By: Visual Inspection
SOP: SOP_FM_001




Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.