



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2603SMIL0375.2477
Metrc Source ID: 26.047



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-31649.2

CQ Hemp - Strawberry Lemonade 2oz (30mg THC)

Metrc Source ID:
26.047

Metrc Sample ID:
26.047

Confident ID: 2603SMIL0375.2477

Sample Collected: 03/20/2026

Sample Received: 03/20/2026

Report Published: 03/31/2026

Sample Type: Beverage



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Pass	Residual Solvents Pass	0.048549% Total THC
Pesticides Pass	Mycotoxins Pass	Heavy Metals Pass	0.0% Total CBD
Foreign Matter Not Tested	Moisture Analysis Not Tested	Water Activity Not Tested	0.050363% Total Cannabinoids
	Terpenes Not Tested		NT Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2603SMIL0375.2477
Metrc Source ID: 26.047



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-31649.2

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 03/23/2026
Sample Analysis Date: 03/24/2026
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	9.9662e-5	0.00019932	0.00049871	0.0049871	0.32416	0.32416
CBCA	9.9662e-5	0.00019932	ND	ND	ND	ND
CBDV	9.9662e-5	0.00019932	ND	ND	ND	ND
CBDVA	9.9662e-5	0.00019932	ND	ND	ND	ND
CBD	9.9662e-5	0.00019932	<LOQ	<LOQ	<LOQ	<LOQ
CBDA	9.9662e-5	0.00019932	ND	ND	ND	ND
CBG	9.9662e-5	0.00019932	0.00051446	0.0051446	0.3344	0.3344
CBGA	9.9662e-5	0.00019932	ND	ND	ND	ND
CBN	9.9662e-5	0.00019932	0.00043871	0.0043871	0.28516	0.28516
Δ 8-THC	9.9662e-5	0.00019932	ND	ND	ND	ND
Δ 8-THCV	0	0	NT	NT	NT	NT
Δ 9-THC	9.9662e-5	0.00019932	0.048549	0.48549	31.557	31.557
Δ 9-THCV	9.9662e-5	0.00019932	0.00036177	0.0036177	0.23515	0.23515
THCVA	9.9662e-5	0.00019932	ND	ND	ND	ND
THCA	9.9662e-5	0.00019932	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.048549	0.48549	31.557	31.557
Total CBD	0	0	0	0
Total Cannabinoids	0.050363	0.50363	32.736	32.736

Total THC = THCa * 0.877 + Δ 9-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all analytes

Serving Weight: 65g;

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2603SMIL0375.2477
Metric Source ID: 26.047



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-31649.2

Pesticides

Pass

Sample Analysis

Sample Prep Date: 03/23/2026
Sample Analysis Date: 03/24/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.01	8.02	ND	10	Fenpyroximate	4.01	8.02	ND	15
Aldicarb	8.02	16.0	ND	20	Flonicamid	10.0	20.0	ND	30
Bifenthrin	8.02	16.0	ND	50	Imidacloprid	8.02	16.0	ND	20
Carbaryl	8.02	16.0	ND	20	Kresoxim Methyl	4.01	8.02	ND	10
Carbofuran	8.02	16.0	ND	100	Metalaxyl	8.02	16.0	ND	20
Chlorantraniliprole	8.02	16.0	ND	20	Oxamyl	20.0	40.1	ND	50
Chloromequat Chloride	9.16	18.13	ND	40	Phosmet	8.02	16.0	ND	40
Chlorpyrifos	4.01	8.02	ND	10	Pyridaben	4.01	8.02	ND	10
Clofentezine	4.01	8.02	ND	10	Spiromesifen	4.01	8.02	ND	10
Diazinon	8.02	16.0	ND	50	Spirotetramat	4.01	8.02	ND	10
Ethoprophos	8.02	16.0	ND	20	Tebuconazole	16.0	32.1	ND	50
Etofenprox	4.01	8.02	ND	10	Thiamethoxam	8.02	16.0	ND	20
Etoxazole	4.01	8.02	ND	10	Trifloxystrobin	4.01	8.02	ND	10

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 03/23/2026
Sample Analysis Date: 03/24/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	5.29	16.0	ND	20
Aflatoxin B2	5.29	16.0	ND	20
Aflatoxin G1	5.29	16.0	ND	20
Aflatoxin G2	5.29	16.0	ND	20
Ochratoxin A	5.29	16.0	ND	20

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2603SMIL0375.2477
Metrc Source ID: 26.047



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-31649.2

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 03/23/2026
Sample Analysis Date: 03/24/2026
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	28.8	86.7	ND	500
Mercury	2.88	8.67	ND	3000
Lead	28.8	86.7	ND	1000
Chromium	28.8	86.7	ND	2000
Arsenic	28.8	86.7	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 03/20/2026
Sample Analysis Date: 03/22/2026
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2603SMIL0375.2477
Metric Source ID: 26.047



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-31649.2

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 03/22/2026
Sample Analysis Date: 03/24/2026
Analyzed By: GCMS
SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	7.184	14.368	ND	5000
Butane	7.184	14.368	ND	5000
Ethanol	7.184	14.368	136.293	5000
Ethyl Acetate	7.184	14.368	ND	5000
Ethyl Ether	7.184	14.368	ND	5000
Ethylene Oxide	1.197	2.395	ND	50
Heptane	7.184	14.368	ND	5000
Hexane	7.184	14.368	ND	290
Isopropyl Alcohol	7.184	14.368	ND	5000
Methanol	7.184	14.368	ND	3000
Methylene Chloride	7.184	14.368	ND	600
Pentane	7.184	14.368	ND	5000
Petroleum Ether	7.184	14.368	ND	400
Propane	7.184	14.368	ND	5000
Trichloroethylene	7.184	14.368	ND	80
Toluene	7.184	14.368	ND	5000
Xylenes	7.184	14.368	ND	2170

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.