



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2604SMIL0551.3774
Metr Source ID: 26.080



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-32946.2

CQ HEMP TN Watermelon Lemonade 30mg THC

Metr Source ID:
26.080

Metr Sample ID:
26.080

Confident ID: 2604SMIL0551.3774

Sample Collected: 04/29/2026
Sample Received: 04/29/2026
Report Published: 05/07/2026
Sample Type: Beverage



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Pass	Residual Solvents Pass	0.052166% Total THC
Pesticides Pass	Mycotoxins Pass	Heavy Metals Pass	0.0% Total CBD
Foreign Matter Not Tested	Moisture Analysis Not Tested	Water Activity Not Tested	0.053665% Total Cannabinoids
	Terpenes Not Tested		NT Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2604SMIL0551.3774
Metric Source ID: 26.080



CERTIFICATE OF ANALYSIS
License #: CTL0004

Certificate: IL-32946.2

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 04/30/2026
Sample Analysis Date: 05/01/2026
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	0.00019981	0.00039962	0.00047914	0.0047914	0.28269	0.28269
CBCA	0.00019981	0.00039962	ND	ND	ND	ND
CBDV	0.00019981	0.00039962	ND	ND	ND	ND
CBDVA	0.00019981	0.00039962	ND	ND	ND	ND
CBD	0.00019981	0.00039962	ND	ND	ND	ND
CBDA	0.00019981	0.00039962	ND	ND	ND	ND
CBG	0.00019981	0.00039962	0.00056146	0.0056146	0.33126	0.33126
CBGA	0.00019981	0.00039962	ND	ND	ND	ND
CBN	0.00019981	0.00039962	0.00045836	0.0045836	0.27043	0.27043
Δ 8-THC	0.00019981	0.00039962	ND	ND	ND	ND
Δ 8-THCV	0	0	NT	NT	NT	NT
Δ 9-THC	0.00019981	0.00039962	0.052166	0.52166	30.778	30.778
Δ 9-THCV	0.00019981	0.00039962	<LOQ	<LOQ	<LOQ	<LOQ
THCVA	0.00019981	0.00039962	ND	ND	ND	ND
THCA	0.00019981	0.00039962	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.052166	0.52166	30.778	30.778
Total CBD	0	0	0	0
Total Cannabinoids	0.053665	0.53665	31.662	31.662

Total THC = THCa * 0.877 + Δ 9-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all analytes

Serving Weight: 59g;

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2604SMIL0551.3774
Metric Source ID: 26.080



CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-32946.2

Pesticides

Pass

Sample Analysis

Sample Prep Date: 04/30/2026
Sample Analysis Date: 05/01/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.69	9.37	ND	10	Fenpyroximate	4.69	9.37	ND	15
Aldicarb	9.37	18.7	ND	20	Flonicamid	11.7	23.4	ND	30
Bifenthrin	9.37	18.7	ND	50	Imidacloprid	9.37	18.7	ND	20
Carbaryl	9.37	18.7	ND	20	Kresoxim Methyl	4.69	9.37	ND	10
Carbofuran	9.37	18.7	ND	100	Metalaxyl	9.37	18.7	ND	20
Chlorantraniliprole	9.37	18.7	ND	20	Oxamyl	23.4	46.9	ND	50
Chloromequat Chloride	9.37	18.7	ND	40	Phosmet	9.37	18.7	ND	40
Chlorpyrifos	4.69	9.37	ND	10	Pyridaben	4.69	9.37	ND	10
Clofentezine	4.69	9.37	ND	10	Spiromesifen	4.69	9.37	ND	10
Diazinon	9.37	18.7	ND	50	Spirotetramat	4.69	9.37	ND	10
Ethoprophos	9.37	18.7	ND	20	Tebuconazole	18.7	37.5	ND	50
Etofenprox	4.69	9.37	ND	10	Thiamethoxam	9.37	18.7	ND	20
Etoxazole	4.69	9.37	ND	10	Trifloxystrobin	4.69	9.37	ND	10

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 04/30/2026
Sample Analysis Date: 05/01/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.19	18.7	ND	20
Aflatoxin B2	6.19	18.7	ND	20
Aflatoxin G1	6.19	18.7	ND	20
Aflatoxin G2	6.19	18.7	ND	20
Ochratoxin A	6.19	18.7	ND	20

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2604SMIL0551.3774
Metrc Source ID: 26.080



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-32946.2

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 05/01/2026
Sample Analysis Date: 05/04/2026
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	26.3	79.3	ND	500
Mercury	2.63	7.93	ND	3000
Lead	26.3	79.3	ND	1000
Chromium	26.3	79.3	ND	2000
Arsenic	26.3	79.3	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 04/29/2026
Sample Analysis Date: 05/01/2026
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001


Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



Contract Canna
17475 Palmer Blvd. Homewood, IL. 60430
License #: 2108011009-IN
Confident ID: 2604SMIL0551.3774
Metric Source ID: 26.080



SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-32946.2

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 04/30/2026
Sample Analysis Date: 05/04/2026
Analyzed By: GCMS
SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	7.156	14.313	ND	5000
Butane	7.156	14.313	ND	5000
Ethanol	7.156	14.313	129.895	5000
Ethyl Acetate	7.156	14.313	ND	5000
Ethyl Ether	7.156	14.313	ND	5000
Ethylene Oxide	1.193	2.385	ND	50
Heptane	7.156	14.313	ND	5000
Hexane	7.156	14.313	ND	290
Isopropyl Alcohol	7.156	14.313	ND	5000
Methanol	7.156	14.313	ND	3000
Methylene Chloride	7.156	14.313	ND	600
Pentane	7.156	14.313	ND	5000
Petroleum Ether	7.156	14.313	ND	400
Propane	7.156	14.313	ND	5000
Trichloroethylene	7.156	14.313	ND	80
Toluene	7.156	14.313	ND	5000
Xylenes	7.156	14.313	ND	2170

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.